| | CENSUS DATA | | | | | LOCAL PUBLIC HEALTH | | | | | |
|--------------------------|-----------------------------|------------------|------------------------|----------------|--------------------|-----------------------------|---------------|------------------|---|----------------------|-------------------|
| | | | | | | | | | | | D |
| Total 19 | 995 Populati | ion Est | 14, 530 | | | | | | Activities Reported | Number | Per 10 000 |
| | nt Female | ion Lsc | 49. 3 | Note: | Data in | this | secti on | are from | Nett vittes Reported | Number | 10, 000 |
| | | | 10 | Ί | the 199 | 00 Cens | us. (All | other | Public Health Nursing | | ' |
| Popul ati | sections contain 1995 data | | | | | Total clients | 79 | 54 | | | |
| Rank i | except where specified.) | | | | d.) | Total visits | 100 | 69 | | | |
| (1=hi | Ratio of 1989 Family | | | | 11. | Visits: Reason for | | 1 | | | |
| /2=10 | owest popula | ation dens | ity.) | ¹ 1 | | | Poverty | | Gen hlth promotion Infant/child hlth | 16 | 11 |
| | | | | ı' | 1 11 | (Cumul | ative) | y | Infectious & parasition | | |
| _Age | Femal e | Mal e | <u>Total</u> | ' | | (c amar | uc1 (c) | | Ci rcul atory | 8 | 6 |
| 0-14 | 1, 390 | 1, 590 | 2, 980 | Age | <100% | <185% | <200% | Total | Prenatal | 8 | 6 |
| 15- 19 | 490 | 570 | 1, 064 | <5 | 31 | 55 | 60 | 924 | Postpartum | 3 | 2 |
| 20- 24 | 330 | 350 | 680 | 5-17 | 21 | 46 | 49 | 2, 763 | HIT C. D | 000 | 400 |
| 25- 29 30- 34 | 270 470 | 310 450 | 580 920 | 18-44 45-64 | 17 10 | 37 25 | 41 27 | 4, 881 2, 883 | WIC Participants | 622 | 428 |
| 35- 39 | 630 | 610 | 1, 240 | 65+ | 14 | 51 | 54 | 2, 382 | Clinic Visits | 3 162 | 2, 175 |
| 40- 44 | 580 | 610 | 1, 190 | 05+ | 17 | J1 | 34 | ۵, ۵۵۵ | Immuni zati on | 1, 503 | 1.034 |
| 45- 54 | 940 | 960 | 1, 900 | 1 | | | | | Blood pressure | 1, 505 | 1, 035 |
| 55- 64 | 750 | 810 | 1, 560 | | | | | | 1 | , | , l |
| 65- 74 | 660 | 650 | 1, 310 | l | | | | | Environmental Contacts | | · |
| 75-84 | 490 | 350 | 840 | C A | N C E | R I N | CIDE | N C E | Env hazards | | <i>i</i> 1 |
| 85+ Total | 160 7, 160 | 110 7, 370 | $\frac{270}{14,530}$ | ,1 | | (1995) |) | | Public health nuisance | 10 | 7 |
| locai | 7, 100 | 7, 370 | 14, 550 | Pri mar | v site | | | Number | School Health | | 1 |
| | | | | Colon | y <u>Site</u> I | | | 5 | Vision screenings | 921 | 634 |
| <u>Age</u> | Female | Mal e | <u>Total</u> | Lung | = | | | 8 | Hearing screenings | 568 | 391 |
| 0-17 | 1, 680 | 1, 950 | 3, 630 | Breast | t | | | 15 | | | [|
| 18- 44 | 2, 480 | 2, 540 | 5, 020 | Prosta | | | | 10 | Health Education | _ | _ |
| 45-64 | 1, 690 | 1, 770 | 3, 460 | Allo | thers | | | 34 72 | Community sessions | 6 | 4 |
| 65+ Total | 1, 310 7, 160 | 1, 110 7, 370 | $\frac{2,420}{14,530}$ | Total | | | | 12 | Community attendance School sessions | 352 1 | 242 1 |
| Iocai | 7, 100 | 7, 370 | 14, 550 | | | | | | School sessions School attendance | 5 | 3 |
| | | | | | | | | | Ι' | J | 5 |
| | E M P L O | YMENT | | L | ON G | ΤE | R M C | A R E | | | ' |
| | | | | | | | | | Total staff | 4 | 2. 7 |
| Note: Ave | erage wage | iş based o | n place | ,, | TT 1.1 | | | 4 | Admi ni strators | 1 | 0. 7 |
| of | work, not | prace of r | esı dence. | | Heal th | Agenci | es | 1 119 | | .1 | 0.1 |
| Average | wage for jol | he covered | | Patie | ents ents pei | - 10 00 | 0 non | 112 77 | Public health aides Environmental specialis | <1 | 0. 1 |
| hverage v bv Unemnl | loyment Com | nensation | \$15, 993 | 1 <i>a</i> tre | nto her | 10,00 | o hoh | ,, | Environmental specialis | Lis . | ا ، |
| | oynane com | pensueron | 410, 000 | ∣ Nursi | ng Home | es | | 1 | ' | | 1. |
| <u>Labor Fo</u> | Li censed beds 86 | | | | | LOCAL PUBLIC HEALTH FUNDING | | | | | |
| | n labor for | ce | 7, 376 6, 884 | 0ccup | ancy ra | te (per | rcent) | 83. 9% | | | Per |
| Number | r employed | J | 6, 884 | Kesi d | ents on | 12/31/ | 95 | 70 | Tatal Conding 01 | Amount | Capita |
| Number | r unemployed clowmont ra | a to | 492 6. 7% | Kesi d | ents pe | r 1,000 | J 35 on al | der 28 | Total funding \$1 Local taxes | 141, 659 885, 246 | 39. /5 \$5. 98 |
| unem | oloyment ra | Le | 0. 1% | pob | ui ati on | ageu t | 65 or ol | uer 20 | Local caxes \$ | ιου, 240 | 99. 00 |
| i | | | | I | | | | | I | | I |

------ N A T A L I T Y ------| Race of Mother | Mo Teenage Births 20 41

----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES Perinatal and fetal deaths. * Includes HBV carriers ** Includes HCV screens ** Rate for female breast cancer based on female population. ** ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH ** Alcohol 4 ** Other Drugs 3 ** O ----- I M M U N I Z A T I O N S ------

| DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average Charge | Charge Per Capi ta | DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|-------------------------|------------|----------------------|---------------------------|-------------------|--------------------------|---|----------|----------------------|---------------------------|------------------------|-------------------------|
| I nj ury-Rel ated: | A1 1 | | | | | Al cohol - Rel at ed | | | | | |
| Total | 120 | 8. 3 | 4. 4 | \$5, 882 | \$49 | Total | 124 | 8. 5 | 7. 9 | \$3, 999 | \$34 |
| <18 | 3 | | • | , | | 18- 44 | 73 | 14. 6 | 8. 8 | \$4, 215 | \$61 |
| 18- 44 | 25 | 5.0 | 4. 5 | \$5, 106 | \$25 | 45-64 | 41 | 11.8 | 7.0 | \$3, 698 | \$44 |
| 45- 64 | 25 | 7. 2 | 3. 7 | \$6, 026 | \$44 | | | | | | |
| 65 + | 67 | 27. 6 | 4.6 | \$6, 218 | \$172 | Pneumonia and In | fluenza | | | | |
| Injury: Hip F | racture | | | | | `∣ Total | 65 | 4. 5 | 5.4 | \$4, 571 | \$20 |
| Total | 25 | 1. 7 | 5.8 | \$8, 673 | \$15 | <18 | 11 | • | • | • | • |
| 65 + | 25 | 10. 3 | 5.8 | \$8, 673 | \$89 | 45-64 | 10 | | • | • | |
| Injury: Poiso | | | | | | 65+ | 38 | 15. 7 | 6. 3 | \$5, 064 | \$79 |
| Total | 8 | • | • | | | ľ | | | | | |
| 18- 44 | 4 | • | • | • | • | Cerebrovascul ar | Di sease | | | | |
| | | | | | | Total | 47 | 3. 2 | 5. 1 | \$5, 483 | \$18 |
| Psychi atri c | | | | | | 45-64 | 5 | • | | | |
| Total | 93 | 6. 4 | 8. 4 | \$5, 907 | \$38 | 65+ | 42 | 17. 3 | 5.3 | \$5, 547 | \$96 |
| <18 | 21 | 5.8 | 8. 5 | \$6, 045 | \$35 | | | | | | |
| 18- 44 | 41 | 8. 2 | 8. 8 | \$5, 730 | \$47 | Chronic Obstruct | | onary D | i sease | | |
| 45- 64 | 23 | 6.6 | 9. 4 | \$7, 223 | \$48 | Total | 39 | 2.7 | 3. 9 | \$3, 962 | \$11 |
| 65 + | 8 | • | • | | • | < 18 | 7 | • | • | • | |
| | | | | | | 18-44 | 5 | | | | |
| Coronary Heart | Di sease | | | | | 45-64 | 12 | • | | | |
| Total | 77 | 5. 3 | 3. 6 | \$5, 498 | \$29 | 65+ | 15 | • | • | • | • |
| 45- 64 | 33 | 9. 5 | 3. 2 | \$5, 545 | \$53 | | | | | | |
| 65 + | 40 | 16. 5 | 4. 2 | \$5, 730 | \$95 | Drug-Related | | | | | |
| | | | | | | Total | 8 | • | | | • |
| Malignant Neopl | asms (Car | icers): | Al l | | | 18- 44 | 3 | • | | • | • |
| Total | 49 | 3. 4 | 5. 9 | \$7, 866 | \$27 | | | | | | |
| 18- 44 | 3 | • | • | • | • | Total Hospitaliz | ati ons | | | | |
| 45- 64 | 10 | • | • | • | • | Total | 1, 493 | 102. 7 | 4. 7 | \$4, 962 | \$510 |
| 65 + | 36 | 14.8 | 5. 1 | \$6, 141 | \$91 | <18 | 185 | 50. 9 | 3. 1 | \$2, 119 | \$108 |
| Neoplasms: Fe | emale Brea | ast (ra | tes for | female po | pul at i on) | 18-44 | 386 | 77. 0 | 4.8 | \$4, 397 | \$339 |
| Total | 8 | | • | • | • | 45- 64 | 311 | 89. 9 | 5.3 | \$6, 326 | \$568 |
| Neoplasms: Co | | l | | | | 65+ | 611 | 251.9 | 4.8 | \$5, 487 | \$1,382 |
| Total | 10 | • | • | • | • | | | | | | |
| 65 + | 8 | • | • | • | • | P R E V E N T A E | | | | | |
| Neoplasms: Lu | ıng | | | | | ˈ Total | 259 | 17.8 | 4.8 | \$4, 712 | \$84 |
| Total | 2 | • | • | • | • | < 18 | 27 | 7.4 | 2. 2 | \$2, 097 | \$16 |
| | | | | | | 18- 44 | 24 | 4.8 | 5. 3 | \$4, 787 | \$23 |
| Diabetes | | | | | | 45-64 | 51 | 14. 7 | 5. 9 | \$6, 433 | \$95 |
| Total | 24 | 1. 7 | 4. 4 | \$3, 957 | \$7 | 65+ | 157 | 64. 7 | 4.9 | \$4, 592 | \$297 |
| 65 + | 8 | • | • | • | | | | | | | |
| | | | | | | * Hospitalization effective ambula hospitalization. | s for co | ondition e can r | s where educe t | timely a he likelih | nd nood of |